



Team Code	Field A	Field B	Field C	Normalized A	Normalized B	Normalized C	Removing Lowest Field Score	Total Field Score
T1	2000							
Т2		100						
Т3			50					

Teams may participate on the same field during different runs of the tournament. In this example, for the first run of the competition, the team T1 had the Field A, while T2 the Field B and T3 the Field C. This is because there are 3 different fields on the venue running simultaneously.

The score above may be seen after the first run of the competition.

At the end of the tournament, all teams will have a run on every field of the competition.





Team Code	Field A	Field B	Field C	Normalized A	Normalized B	Normalized C	Removing Lowest Field Score	Total Field Score
T1	2000	150	100	1	0.75	0.6667		
Т2	1000	100	150	0.5	0.5	1		
Т3	500	200	50	0.25	1	0.3333		

Once all the teams participate in a field, the score for that field will be normalized. This means (Field score) / (Field score of the best team). Therefore, the maximum score possible per field is 1.





Team Code	Field A	Field B	Field C	Normalized A	Normalized B	Normalized C	Removing Lowest Field Score	Total Field Score
T1	2000	150	100	1	0.75	0.6667	1.75	0.875
T2	1000	100	150	0.5	0.5	1	1.5	0.75
Т3	500	200	50	0.25	1	0.3333	1.33	0.6667

When removing the lowest field score, the normalized value will be chosen. This is because the normalized value is the one that will be considered when calculating the Total Field Score.

Note that for team T3, the lowest normalized score is Field A even thought the Field C score is the lowest individual value.

The total field score is calculated as the mean of the addition of all field scores (removing the lowest field score). For this example, there are 3 fields. If we remove the lowest score, it means the mean will be calculated dividing the final score by 2.





Team Code	TDP	Engineering Journal	Poster	Normalized TDP	Normalized Engineering Journal	Normalized Poster	Normalized Rubrics Score
T1	24	48	6	0.25	1	0.3333	0.5667
T2	96	36	12	1	0.75	0.6667	0.8333
Т3	48	24	18	0.5	0.5	1	0.6

Each document has its own rubric for evaluation. Regardless of the maximum score possible on each rubric, the scores will be normalized, allowing each document to have a maximum score of 1.

The normalized rubrics score is calculated as (0.4) x (Normalized TDP) + (0.4) x (Normalized Engineering Journal) + (0.2) * (Normalized Poster).





Team Code	Total Field Score	Normalized Rubrics Score	Total Score	Total Score (%)
T1	0.875	0.5667	0.8133	81.33%
T2	0.75	0.8333	0.7667	76.67%
Т3	0.6667	0.6	0.6533	65.33%

The total score is calculated as (0.8) x (Total Field Score) + (0.2) x (Normalized Rubrics Score).

Scoring Explained – Overall





Team Code	Field A	Field B	Field C	Normalized A	Normalized B	Normalized C	Removing Lowest Field Score	Total Field Score
T1	2000	150	100	1	0.75	0.6667	1.75	0.875
Т2	1000	100	150	0.5	0.5	1	1.5	0.75
Т3	500	200	50	0.25	1	0.3333	1.33	0.6667
Team Code	TDP	Engineer Journa	ing I Post	ter Norr	nalized No FDP	ormalized gineering Iournal	Normalized Poster	Normalized Rubrics Score
Team Code T1	т D Р 24	Engineer Journa 48	ing I 6	ter Norr	nalized No FDP	ormalized gineering Journal 1	Normalized Poster 0.3333	Normalized Rubrics Score 0.5667
Team Code T1 T2	трр 24 96	Engineer Journa 48 36	ing Post 6 12	ter Norr 1 2	nalized No En 2.25 1	ormalized gineering Journal 1 0.75	Normalized Poster 0.3333 0.6667	Normalized Rubrics Score 0.5667 0.8333

Team Code	Total Field Score	Normalized Rubrics Score	Total Score	Total Score (%)
T1	0.875	0.5667	0.8133	81.33%
T2	0.75	0.8333	0.7667	76.67%
Т3	0.6667	0.6	0.6533	65.33%